

Fey Industries, Inc.

Certification of Compliance

Product Identification

Product Number: MI8803

Product Description: Pocket Screwdriver - 1/8" Flat Tip Blade /#0 Phillips Top

Testing Information for Compliance with Regulations			Previous Lab Test Information				Current Lab Test Information			
Component Number	Component Description	Lab Test Type	Lab Test Report Number	Vendor/Factory/Number	PO#/LOT#/WO#	Test Date	Lab Test Report Number	Vendor/Factory/Number	PO#/LOT#/WO#	Test Date
150009	TOOL SD .125X3.187 STANDARD	California Proposition 65, Total Lead in Substrate Materials	22W-001946	15604 15604A	77602	2/25/2022	24W-001941	15604 15604A	8206	2/21/2024
150009	TOOL SD .125X3.187 STANDARD	CPSIA Section 101, Total Lead in Substrate Material	22W-001946	15604 15604A	77602	2/25/2022	24W-001941	15604 15604A	8206	2/21/2024
150017	TOOL PKT CLIP	California Proposition 65, Total Lead in Substrate Materials	17H-005788	15605	64396	7/25/2017	23W-003147	15604 15604A	80240	3/21/2023
150017	TOOL PKT CLIP	CPSIA Section 101, Total Lead in Substrate Material	17H-005788	15605	64396	7/25/2017	23W-003147	15604 15604A	80240	3/21/2023
150019	TOOL MAGNET 4.76MMX11.11MM SD	California Proposition 65, Total Lead in Substrate Materials	21W-023708	15635	76676	10/20/2021	24W-001702	15604 15604A	81893	2/2/2024
150019	TOOL MAGNET 4.76MMX11.11MM SD	CPSIA Section 101, Total Lead in Substrate Material	21W-023708	15635	76676	10/20/2021	24W-001702	15604 15604A	81893	2/2/2024

GCC-MI8803

Created By: AGeiger

Approved By: AGeiger

Rev. A

Date: 1/7/2025

Date: 1/7/2025

Fey Industries, Inc.

Certification of Compliance

Testing Information for Compliance with Regulations			Previous Lab Test Information				Current Lab Test Information			
Component Number	Component Description	Lab Test Type	Lab Test Report Number	Vendor/Factory/Number	PO#/LOT#/WO#	Test Date	Lab Test Report Number	Vendor/Factory/Number	PO#/LOT#/WO#	Test Date
150113	STYRENE (STYROLUX 684D) 8803B - MAGNET / VALVE TOP	California Proposition 65, Total Lead in Substrate Materials	18W-006698	15527	67472	8/15/2018	T-24331765-10-R1	15527	83093	12/6/2024
150113	STYRENE (STYROLUX 684D) 8803B - MAGNET / VALVE TOP	CPSIA Section 101, Total Lead in Substrate Material	18W-006698	15527	67472	8/15/2018	T-24331765-10-R1	15527	83093	12/6/2024
150113	STYRENE (STYROLUX 684D) 8803B - MAGNET / VALVE TOP	California Prop 65, General-Phthalate Content (6P) (Composite) (DBP, BBP, DEHP, DINP, DnHP)	18W-006698	15527	67472	8/15/2018	T-24331765-10-R1	15527	83093	12/6/2024
150113	STYRENE (STYROLUX 684D) 8803B - MAGNET / VALVE TOP	CPSC 16 CFR 1307 Prohibition of Children's Toys and Child Care Articles Containing -Phthalate Content (8P) (Composite) (DBP, BBP, DEHP, DINP, DHEXP, /DnHP, DCHP, DIBP, DPENP)	18W-006698	15527	67472	8/15/2018	T-24331765-10-R1	15527	83093	12/6/2024
150113	STYRENE (STYROLUX 684D) 8803B - MAGNET / VALVE TOP	Phthalates Content (10P) (Composite) (DBP, BBP, DEHP, DINP, DIDP, DnOP, DHEXP, /DnHP, DCHP, DIBP, DPENP)	N/A	N/A	N/A	N/A	T-24331765-10-R1	15527	83093	12/6/2024
150113	STYRENE (STYROLUX 684D) 8803B - MAGNET / VALVE TOP	Chemical Requirements- Per-and Polyfluoroalkyl Substances (PFAS) Content (Total Fluorine Method)	N/A	N/A	N/A	N/A	T-24331765-10-R1	15527	83093	12/6/2024

GCC-MI8803
Created By: AGeiger
Approved By: AGeiger

Rev. A
Date: 1/7/2025
Date: 1/7/2025

Fey Industries, Inc.

Certification of Compliance

Testing Information for Compliance with Regulations			Previous Lab Test Information				Current Lab Test Information			
Component Number	Component Description	Lab Test Type	Lab Test Report Number	Vendor/Factory/Number	PO#/LOT#/WO#	Test Date	Lab Test Report Number	Vendor/Factory/Number	PO#/LOT#/WO#	Test Date
150115	CIMSACOB (CLEARBLEND 165) 8801A - 1/2 DIA FIX BARREL (BASE RESIN)	California Proposition 65, Total Lead in Substrate Materials	18W-006658	15527	DH4M012001	8/15/2018	T-24332080-10-R1	15527	83075	12/6/2024
150115	CIMSACOB (CLEARBLEND 165) 8801A - 1/2 DIA FIX BARREL (BASE RESIN)	CPSIA Section 101, Total Lead in Substrate Material	18W-006658	15527	DH4M012001	8/15/2018	T-24332080-10-R1	15527	83075	12/6/2024
150115	CIMSACOB (CLEARBLEND 165) 8801A - 1/2 DIA FIX BARREL (BASE RESIN)	California Prop 65, General-Phthalate Content (6P) (Composite) (DBP, BBP, DEHP, DINP, DnHP)	18W-006658	15527	DH4M012001	8/15/2018	T-24332080-10-R1	15527	83075	12/6/2024
150115	CIMSACOB (CLEARBLEND 165) 8801A - 1/2 DIA FIX BARREL (BASE RESIN)	CPSC 16 CFR 1307 Prohibition of Children's Toys and Child Care Articles Containing -Phthalate Content (8P) (Composite) (DBP,BBP,DEHP,DINP,DHEXP,/DnHP,D CHP,DIBP,DPENP)	18W-006658	15527	DH4M012001	8/15/2018	T-24332080-10-R1	15527	83075	12/6/2024
150115	CIMSACOB (CLEARBLEND 165) 8801A - 1/2 DIA FIX BARREL (BASE RESIN)	Phthalates Content (10P) (Composite) (DBP,BBP,DEHP,DINP,DIDP, DnOP,DHEXP,/DnHP,DCHP,DIBP,DPEN P)	N/A	N/A	N/A	N/A	T-24332080-10-R1	15527	83075	12/6/2024
150115	CIMSACOB (CLEARBLEND 165) 8801A - 1/2 DIA FIX BARREL (BASE RESIN)	Chemical Requirements- Per-and Polyfluoroalkyl Substances (PFAS) Content (Total Fluorine Method)	N/A	N/A	N/A	N/A	T-24332080-10-R1	15527	83075	12/6/2024

GCC-MI8803
Created By: AGeiger
Approved By: AGeiger

Rev. A
Date: 1/7/2025
Date: 1/7/2025

Fey Industries, Inc.

Certification of Compliance

Our Vendors provide Lot Traceability and COC/COA's with every shipment for the following subcomponent products:

Component Number	Component Description	Vendor COA/COC validates and certifies the following	Vendor Number	Vendors Manufacturing certification	COA/COC with shipment	Lot Controlled	Shelf Life/Expiration
150113	STYRENE (STYROLUX 684D) 8803B - MAGNET / VALVE TOP	Meets Manufacturers Specifications	15527	ISO 9001:2015	COA	YES	None
150115	CIMSACOB (CLEARBLEND 165) 8801A - 1/2 DIA FIX BARREL (BASE RESIN)	Meets Manufacturers Specifications	15527	ISO 9001:2015	COA	YES	None
150600	WHT PS SC1050 FDA 8801A - 1/2 DIA FIX BARREL 8803B - MAGNET / VALVE TOP	Meets Fey specifications Visual Analysis	15564	ISO 9001:2015	COA	YES	None
150607	TR BLU2738 CLRBLEND S41152 FDA 8801A - 1/2 DIA FIX BARREL 8803B - MAGNET / VALVE TOP	Meets Fey specifications	15535	ISO 9001:2015	COA	YES	None
150609	TR RED 185 GPPS S43198 FDA 8801A - 1/2 DIA FIX BARREL 8803B - MAGNET / VALVE TOP	Meets Fey specifications	15535	ISO 9001:2015	COA	YES	None
150618	ORG 1645 HIPS R33971 FDA 8801A - 1/2 DIA FIX BARREL 8803B - MAGNET / VALVE TOP	Meets Fey specifications	15535	ISO 9001:2015	COA	YES	None
150620	RED 186 HIPS SL32642554 FDA 8801A - 1/2 DIA FIX BARREL 8803B - MAGNET / VALVE TOP	Meets Fey specifications Visual Analysis	15545	ISO 9001:2015	COA	YES	None
150621	BLU 285 PS 820363 8801A - 1/2 DIA FIX BARREL 8803B - MAGNET / VALVE TOP	Meets Fey specifications	15535	ISO 9001:2015	COA	YES	None

GCC-MI8803
Created By: AGeiger
Approved By: AGeiger

Rev. A
Date: 1/7/2025
Date: 1/7/2025

Fey Industries, Inc.

Certification of Compliance

Our Vendors provide Lot Traceability and COC/COA's with every shipment for the following subcomponent products:

Component Number	Component Description	Vendor COA/COC validates and certifies the following	Vendor Number	Vendors Manufacturing certification	COA/COC with shipment	Lot Controlled	Shelf Life/Expiration
150630	TR PURPLE 2617 GPPS S38737 8801A - 1/2 DIA FIX BARREL 8803B - MAGNET / VALVE TOP	Meets Fey specifications	15535	ISO 9001:2015	COA	YES	None
150639	BLU 285 PS 820363 8801A - 1/2 DIA FIX BARREL 8803B - MAGNET / VALVE TOP	Meets Fey specifications Visual Analysis	15564	ISO 9001:2015	COA	YES	None
150644	PINK238 HIPS R33744 FDA 8801A - 1/2 DIA FIX BARREL 8803B - MAGNET / VALVE TOP	Meets Fey specifications	15535	ISO 9001:2015	COA	YES	None
150648	YEL 116 HIPS 322305 8801A - 1/2 DIA FIX BARREL 8803B - MAGNET / VALVE TOP	Meets Fey specifications Visual Analysis	15564	ISO 9001:2015	COA	YES	None
150682	GUNMETAL GPPSPD666 S42575 8801A - 1/2 DIA FIX BARREL 8803B - MAGNET / VALVE TOP	Meets Fey specifications	15535	ISO 9001:2015	COA	YES	None
150683	GLD872 5050BLEND S42519 8801A - 1/2 DIA FIX BARREL 8803B - MAGNET / VALVE TOP	Meets Fey specifications	15535	ISO 9001:2015	COA	YES	None
150684	SILVR877 5050BLEND S42520 8801A - 1/2 DIA FIX BARREL 8803B - MAGNET / VALVE TOP	Meets Fey specifications	15535	ISO 9001:2015	COA	YES	None
150685	MET RED CLEARBLEND S42612 8801A - 1/2 DIA FIX BARREL 8803B - MAGNET / VALVE TOP	Meets Fey specifications	15535	ISO 9001:2015	COA	YES	None

GCC-MI8803
Created By: AGeiger
Approved By: AGeiger

Rev. A
Date: 1/7/2025
Date: 1/7/2025

Fey Industries, Inc.

Certification of Compliance

Our Vendors provide Lot Traceability and COC/COA's with every shipment for the following subcomponent products:

Component Number	Component Description	Vendor COA/COC validates and certifies the following	Vendor Number	Vendors Manufacturing certification	COA/COC with shipment	Lot Controlled	Shelf Life/Expiration
150686	MET RO BLU CLEARBLEND S42613 8801A - 1/2 DIA FIX BARREL 8803B - MAGNET / VALVE TOP	Meets Fey specifications	15535	ISO 9001:2015	COA	YES	None
150696	BLK PS 701498 FDA 8801A - 1/2 DIA FIX BARREL 8803B - MAGNET / VALVE TOP	Meets Fey specifications Visual Analysis	15564	ISO 9001:2015	COA	YES	None
150703	GRN 802C HIPS 28GN0021SC28CO 8801A - 1/2 DIA FIX BARREL 8803B - MAGNET / VALVE TOP	Meets Fey specifications Visual Analysis	15564	ISO 9001:2015	COA	YES	None

Date and Place Where Product was Manufactured	U.S. Importer or Domestic Manufacturer Certifying Compliance	Contact Information for Custodian of Test Records	
Date: Daily Location: Edgerton, MN, USA	Fey Promo 200 4 th Ave N Edgerton, MN 56128	Compliance Specialist 200 4 th Ave N Edgerton, MN 56128	Phone: (507) 442-4311 Fax: (507) 442-3986 Email: compliance@feyindustries.com
Third Party Testing Laboratories on Which Certificate is Based			
Primary Lab Location: QIMA (Hangzhou) Testing Co., LTD 4-5/F A2 Building, No. 1213 Huoju South Road, Puyan Street, Binjiang District, Hangzhou, China		Certifications From: ANAB – ANSI National Accreditation Board ISO/IEC 17065:2012 Conformity Assessment – Requirements for Bodies Certifying Products, Processes and Services – Accreditation ID #8894	

GCC-MI8803
Created By: AGeiger
Approved By: AGeiger

Rev. A
Date: 1/7/2025
Date: 1/7/2025